







Toshiba Notebooks

June 28, 2005

					
SATELLITE	QOSMIO	SATELLITE PRO	TECRA	PORTÉGÉ	LIBRETTO
<ul style="list-style-type: none"> • Stylish, feature-packed value <ul style="list-style-type: none"> • Offering outstanding quality combined with high performance and attractive prices, these notebooks are ideal when impressive design, multimedia performance, mobility and reliability are needed, anywhere, anytime 	<ul style="list-style-type: none"> • The art of smart entertainment <ul style="list-style-type: none"> • Born from the convergence of the AV and PC worlds, Qosmio allows you to create your own personal universe • Designed to be the best mobile hub for smart entertainment, Qosmio integrates advanced technologies to make your life simpler and more entertaining 	<ul style="list-style-type: none"> • The perfect companions for SMBs on the move <ul style="list-style-type: none"> • From the entry-level Satellite Pro, which offers great-value power, mobility and performance to the stylish, feature-packed widescreen model, Toshiba's Satellite Pro range is sure to provide an all-in-one notebook guaranteed to suit your business needs 	<ul style="list-style-type: none"> • First-class scalability, power and connectivity for corporate computing <ul style="list-style-type: none"> • The Tecra range brings the benefits of seamless wireless connectivity and exceptional mobile performance to business computing, with state-of-the-art features, comprehensive expansion and complete mobility 	<ul style="list-style-type: none"> • Ultimate mobility: Redefining ultra-portable wireless computing <ul style="list-style-type: none"> • The Portégé series offers the ultimate in portability, from the ultra-thin Portégé R200 to the impressive, stylish Portégé M300 and the innovative Tablet PC Portégé M200 	<ul style="list-style-type: none"> • The return of the mini-notebook <ul style="list-style-type: none"> • The innovatively designed libretto U100 heralds powerful, reliable portability in celebration of 20 years of leadership in mobile computing

Product specification and prices are subject to change without prior notice.
Errors and omissions excepted.

Toshiba Europe GmbH
Tel. 044 908 56 20
<http://computer.toshiba.ch>

For further information on
Toshiba options & services visit
<http://computer.toshiba.ch>

**more⁴
you**
options and services
by Toshiba

Model / OS / Language

Part No.
EAN codeList-Price
incl. VAT**Qosmio G20**Windows XP MCE
German, French, Italian, EnglishPOG20E-00N011S4
4026203356214

3999



Qosmio
The art of smart entertainment.

Model	Qosmio G20
Processor	Intel Centrino™ mobile technology including Intel Pentium M processor 760 (2.0 GHz, 533 MGz Front Side Bus, 2 MB 2nd level cache), Intel® PRO/Wireless 2200BG network connection and Intel® 915PM Express chipset
Display	17" Toshiba TruBrite 16:10 WXGA+ TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,440 x 900
Hard Disk	160GB (80GB + 80GB) with 5400 rpm S-ATA, RAID 0 and RAID1 support for data backup and real-time disk mirroring
System Memory	2 x 512 MB DDR2 RAM, maximum expandability: 2,048 MB DDR2 RAM
Optical drive	DVD Super Multi drive (Double Layer) Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 10x CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	optional external 3.5", Floppy disk drive via USB
Graphics adapter	NVIDIA GeForce™ Go 6600, 128 MB DDR SDRAM, 16 x PCI Express
Keyboard	85 keys, 15 function keys, 4 cursor keys, inlaid numeric keypad, 2 Hot Keys, EURO key, 2 Windows® keys, QosmioPlayer, Play/Pause, Stop, Rewind, Forward, Record, Brightness down, Brightness up, Zoom-out, Zoom-in button
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps modem (V.90)
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant), integrated Bluetooth™
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™ technology and SRS® WOW™, built-in microphone and harman/kardon® stereo speakers, 16-bit stereo, volume dial
TV tuner	Integrated TV tuner for PAL, NTSC, SECAM
Interfaces	Monitor-in (D-Connector), S-Video-in (Composite/Line-in), TV-antenna, TV-out (NTSC/PAL, S-Video, component-out), Dolby AC3 digital, built-in speaker, DC-in, line-in, external microphone port, built-in microphone, external monitor, S/PDIF (headphone), 4 x USB 2.0, i.LINK® (IEEE 1394), RJ-11, RJ-45
Expansion	1 x PC Card Type II, 1x Express Card™ slot, 2 x memory slots (0 to configure), 5-in-1 Bridge Media slot (supports SD™ Card, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: Up to 2.0 hours (Mobile Mark™)
Operating System	Windows® XP Media Center Edition 2005 (Service Pack 2)
Bundled Software	online user manual, Toshiba ConfigFree™, Toshiba utilities and drivers, WinDVD™, InterVideo® WinDVD Creator 2 Platinum, Sonic™ Record Now!, SRS TruSurround XT technology for virtual surround sound, Windows Movie Maker 2, Microsoft® Office OneNote™ 2003, Norton Internet Security™ 2004 (90-Day Free Trial Version), SRS® WOW™ technology for virtual surround sound (Windows Media Player)
Bundled Hardware	AC adaptor, AC power cable, D-Connector to SCART cable, antenna cable, remote control, user manual, Monitor-in cable, Modem cable, s-Video cable
Special features	QosmioEngine for advanced video experience, QosmioPlayer for instant-on entertainment, RAID 0 and RAID1 support for data backup and realtime disk mirroring, BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, user power on password, setup password
Physical dimensions	W x L x H: 406 x 285 x 43.1 mm, weight: 4.3 kg
Warranty	1-year international warranty

Options

Part. No.

List-Price
incl. VAT**Memory**

256 MB DDR2 RAM (533MHz)	PA3389U-1M25	125
512 MB DDR2 RAM (533MHz)	PA3412U-1M51	299
256MB USB Memory	PX1160E-1M25	99

Adapter & Batteries

Main Battery Pack	PA3285U-2BRS	165
AC-Adapter	PA3237E-2ACA	160
Car Adapter	PX1188E-1NPO	190
Battery Charger	PA3091E-1CHG	495

Miscellaneous

Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Audio / USB Hub	PA3390E-1MPM	225
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345

Carry case

17" XXL Case	PX1187E-1NCA	95
--------------	--------------	----

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Toshiba Audio / USB Hub
Part.No.: PA3390E-1MPM

CHF 225.--



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Qosmio F10

Windows XP MCE
German, French, Italian, English

PQF10E-00N017S4
4026203344150

2899

Qosmio
The art of smart entertainment.



Model	Qosmio F10
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 735 (1.70 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855PM chipset
Display	15.4" Toshiba TruBrite WXGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,280 x 800
Hard Disk	60 GB (5400rpm)
System Memory	1 x 512 MB, maximum expandability: 2,048 MB DDR RAM
Optical drive	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 24x CD-R, 10x CD-RW, 8x DVD-ROM, 4x DVD-R, 4x DVD-RW, 4x DVD+R, 4x DVD+RW, 3x DVD-RAM / Write: 24x CD-R, 10x CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM
Diskette drive	optional external 3.5", Floppy disk drive via USB
Graphics adapter	NVIDIA GeForce™ FX Go5700, 128 MB DDR SDRAM, 128 bit 3D graphics accelerator, 4 x AGP bus
Keyboard	86 keys, 15 function keys, 4 cursor keys, inlaid numeric keypad, 2 Hot Keys, EURO key, 2 Windows® keys, QosmioPlayer, Play/Pause, Stop, Rewind, Forward, Record, Brightness, TV-in/TV-out button
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps modem (V.90)
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant)
Sound System	Analog Devices with SRS TruSurround XT™ System, built-in microphone and harman/kardon® stereo speakers, 16-bit stereo, volume dial
TV tuner	Integrated TV tuner for PAL, NTSC, SECAM
Interfaces	Monitor-in (D-Connector), S-Video-in (Composite/Line-in), TV-antenna, TV-out (NTSC/PAL output; S4 jack), RJ-11, RJ-45, Dolby AC3 digital, Built-in speaker, DC-in, line-in, external microphone port, internal microphone, external monitor, S/PDIF (headphone), 4 x USB 2.0, i.Link (IEEE 1394)
Expansion	1 x PC Card Type II, 2 x memory slots (1 to configure), 1 x Bridge Media Slot (SD™ Card, xD™ Picture Card, Memory Stick®, Memory Stick Pro™, Multi Media Card™)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: Up to 2.45 hours (Mobile Mark™)
Operating System	Windows® XP Media Center Edition 2005 (Service Pack 2)
Bundled Software	Online user manual, Toshiba ConfigFree™, Toshiba utilities and drivers, InterVideo® WinDVD™ Creator 2Platinum, Sonic™ Record Now!, SRS TruSurround XT technology for virtual surround sound, Windows Movie Maker 2, Microsoft® Office OneNote™ 2003, QosmioPlayer (Instant on Entertainment; CD/DVD & TV player), Norton Internet Security™ 2004 (90-Day Free Trial Version), Adobe Acrobat Reader
Bundled Hardware	AC adaptor, AC power cable, D-Connector to SCART cable, antenna cable, remote control, user manual
Special features	BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, user password
Physical dimensions	W x L x H: 373 x 285 x 43 mm, weight: 3.9 kg
Warranty	1-year international warranty

Options

Part. No.	List-Price incl. VAT
-----------	-------------------------

Memory

256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
256MB SD Memory Flash Card	PX1118E-1NME	179

Adapter & Batteries

Main Battery Pack	PA3285U-2BRS	165
AC-Adapter	PA2521E-2ACA	160
Car Adapter	PX1188E-1NPO	190
Battery Charger	PA3091E-1CHG	495

Miscellaneous

Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Audio / USB Hub	PA3390E-1MPM	225
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345

Carry case

Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Toshiba Audio / USB Hub
Part.No.: PA3390E-1MPM

CHF 225.--





Model / OS / Language	Part No. EAN code	List price incl. VAT
-----------------------	----------------------	-------------------------

Libretto U100

Windows XP Pro German, French, Italian, English	PLU10E-009022S4 4026203370067	2499
--	----------------------------------	------

Microsoft Office
OneNote 2003**Toshiba EasyGuard**
carefree Mobile Computing

Model	Libretto U100
Processor	Intel® Pentium® M processor Ultra Low Voltage 753 (1.20 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache)
Display	7.2" Toshiba TruBrite WXGA TFT display with LED backlight technology
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,280 x 768
Hard Disk	60 GB (4,200 rpm), Enhanced IDE (ATA-6)
System Memory	1 x 512 MB, maximum expandability: 1,024 MB DDR RAM
Optical drive	DVD Super Multi drive via libretto DVD Dock
Diskette drive	optional external 3.5" Floppy disk drive via USB
Graphics adapter	Intel® 855GME chipset, 16-64 MB RAM (UMA)
Keyboard	86 keys, 2 Windows® keys, 12 function Keys, 5 Easy Keys (Player on/off, Rewind, Forward, Play/Pause, Stop) via Libretto DVD Dock
Pointing device	AccuPoint™
Wired communication	Ethernet LAN, international V.90 modem (V.95 ready)
Wireless communication	Wireless LAN (802.11b/g) Bluetooth™ V2.0 with EDR (Enhanced Data Rate)
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™ technology and SRS® WOW™, built-in speaker, volume dial
Interfaces	DC-in, headphone, external monitor, expansion bus connector, RJ-11, RJ-45, SD™ Card slot, external microphone, 2 x USB 2.0
Expansion	Connection to libretto DVD Dock, PC Card slot for 1x Type II card, 1 memory slot (0 to configure)
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life up to 4:58 hours (Mobile Mark™)
Operating System	Windows® XP Professional pre-installed (Service Pack 2)
Bundled Software	Microsoft® Office OneNote™ 2003, online user and modem manual, Management Console, Bluetooth™ Service Center, Toshiba ConfigFree™, Connectivity Doctor, Sonic™ Record Now!, WinDVD™, InterVideo® WinDVD Creator 2 Platinum, Norton Internet Security™ (90-day free trial version), Toshiba utilities and drivers
Bundled Hardware	AC adapter, libretto DVD Dock
Special features	ACPI support, Wake-on-LAN, SM BIOS compliant, Toshiba Enhanced SpeedStep, Toshiba Power Saver utility, Multimedia Bar with 5 Easy Keys, Player on/off, Rewind, Play/Pause, Stop, Forward) via libretto DVD Dock, Express Media Player for instant-on entertainment via libretto DVD Dock
Toshiba EasyGuard	Fingerprint Reader, PC Diagnostics, Toshiba Summit, Toshiba ConfigFree™, Kensington Lock, Password Utility, Easy Fix Components, Data Backup, HDD Protection (3-axis), Durable Design
Physical dimensions	W x L x H: 210 x 165 x 29.8 (front) / 33.4 (back) mm, weight: 0.98 kg
Warranty	1-year international warranty

Options

Part. No.	List-Price incl. VAT
-----------	-------------------------

Memory

1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
256 MB USB Memory	PX1160E-1M25	99

Adapter & Batteries

Battery Pack	PA3442U-1BRS	290
AC-Adapter	PA3377E-1ACA	160

Miscellaneous

Libretto DVD Dock - Super Multi Drive	PA3433U-1DV2	495
USB 2.0 Port Replicator II	PX1173E-1PRP	99
Toshiba Audio / USB Hub	PA3390E-1MPM	225
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Toshiba Audio / USB Hub
Part.No.: PA3390E-1MPM**CHF 225.--**

Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite A60-185		
Windows XP Home German, French, Italian, English	PSA60E-0L705MS4 4026203344648	1599



Intel® Pentium® 4 Processor
with HT Technology[™]
Power to Do More at Once



Model	Satellite A60-185
Processor	Intel® Pentium® 4 Processor 552 with HT Technology (3.46 GHz, 533 MHz Front Side Bus, 1 MB 2nd level cache)
Display	15.0" TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768
Hard Disk	60 GB (4200rpm)
System Memory	2 x 256 MB on board, maximum expandability: 1,280 MB DDR RAM
Optical drive	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM
Diskette drive	optional external 3.5" Floppy disk drive via USB
Graphics adapter	ATI MOBILITY™ RADEON™ 7000 IGP, 64 MB DDR Video RAM (shared), 3D graphics accelerator
Keyboard	86 keys, 4 Easy Keys (Forward, Rewind, Play / Pause, Stop), 12 function keys, 2 Windows® keys
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN (Wake-On-LAN, remote boot), 56 Kbps data (V.90) and 14.4 Kbps fax (V.17) international modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant), Fast InfraRed (FIR compliant)
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System Realtec ALC 250, 16 bit stereo, built-in stereo speakers, volume dial
Interfaces	built-in speaker, external microphone, external monitor, DC-in, Fast InfraRed (FIR), headphone (stereo), i.LINK® (IEEE1394), parallel, RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0
Expansion	1 x PC Card Type II, 1 x memory slots (0 to configure)
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 3.0 hours
Operating System	Windows® XP Home pre-installed (Service Pack 2)
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, online user manual, Toshiba ConfigFree™, Toshiba utilities and drivers, InterVideo® WinDVD™ Creator 2Platinum, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adapter, AC power cable, user manual, quick start guide
Physical dimensions	W x L x H: 343 x 282 x 38 (front) / 49 (back) mm, weight: 3.50 kg
Warranty	1-year international warranty

Options

Options	Part. No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery Pack	PA3382U-1BRS	235
AC-Adapter	PA3290E-2ACA	160
Car Adapter	PX1189E-1NPO	190
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite A80-129		
Windows XP Home German, French, Italian, English	PSA80E-02300LS4 4026203348516	1499
Satellite A80-140		
Windows XP Home German, French, Italian, English	PSA80E-05100LS4 4026203357945	1599



Model	Satellite A80-129	Satellite A80-140
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 730 (1.60 GHz, 533 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Mobile Intel® 915GME express chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 740 (1.73 GHz, 533 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Mobile Intel® 915GM Express chipset
Display	15.0" TFT colour display	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768	
Hard Disk	60 GB (4200rpm)	
System Memory	1 x 512 MB, maximum expandability: 2,048 MB DDR RAM	
Optical drive	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM	DVD Super Multi drive (Double Layer) Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 10x CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	optional external 3.5" Floppy disk drive via USB	
Graphics adapter	Mobile Intel 915GM Express Chipset, 16-128 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus	NVIDIA® GeForce™ Go 6200, 64MB 3D graphics accelerator, 16x PCI Express
Keyboard	86 keys, 13 function keys, 4 cursor keys, inlaid numeric keypad, Windows® keys, Multimedia Bar with 6 Keys (Internet Browser, CD-Control, Rewind, Play, Stop, Forward, CD-Power)	
Pointing device	Touch Pad	
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem	
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant)	
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System Realtek ALC 250, 16-bit stereo, built-in stereo speakers, MIDI Support, volume dial	
Interfaces	DC-in, external microphone, external monitor, headphone, i.LINK® (IEEE 1394), RJ-11, RJ-45, 4 x USB 2.0, TV-out (s-video), 6-in-1 Bridge Media slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)	
Expansion	1 x PC Card Type II, 2 x memory slots (1 to configure)	
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: up to 3.46 hours (Mobile Mark™)	
Operating System	Windows® XP Home pre-installed (Service Pack 2)	
Bundled Software	Toshiba utilities and drivers, Toshiba Zooming Utility, Toshiba Touch and Launch, Toshiba Diagnostic Tool, Norton Internet Security™ 2004 (90-Day Free Trial Version), Online user's manual, ConfigFree™, InterVideo WinDVD™ Creator 2, SonicRecord Now!, Microsoft® Office OneNote™ 2003	
Bundled Hardware	AC adaptor, AC power cable, user manual	
Special features	BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, user power on password, setup password	
Physical dimensions	W x L x H: 338 x 279,7 x 29,4 (front) / 36,9 (back) mm, weight: from 2.7 kg	
Warranty	1-year international warranty	

Options	Part. No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-2M25	125
512 MB DDR RAM (333MHz)	PA3312U-2M51	299
1024 MB DDR RAM (333MHz)	PA3313U-2M1G	895
Adapter & Batteries		
Main Battery Pack	PA3399U-1BRS	195
High Capacity Battery	PA3400U-1BRS	295
AC-Adapter	PA3378E-1ACA	160
Car Adapter	PX1188E-1NPO	190
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCP	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite L10-161		
Windows XP Home	PSL10E-01F001S4	1299
German, French, Italian, English	4026203360839	



Model	Satellite L10-161
Processor	Intel® Celeron® M Processor 370 (1.5 GHz, 400 MHz Front Side Bus, 1 MB 2nd level cache and mobile Intel 910GML Express chipset)
Display	15.0" TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768
Hard Disk	60 GB (4200rpm)
System Memory	1 x 512 MB, maximum expandability: 1,024 MB DDR RAM
Optical drive	DVD Super Multi drive (Double Layer); Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	optional external 3.5" Floppy disk drive via USB
Graphics adapter	Intel® 852GM, 16-64 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus
Keyboard	85 keys, 12 function keys, 4 cursor keys, inlaid numeric keypad, 2 Windows® keys, 4 Easy Keys (Forward, Rewind, Play/Pause, Stop)
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant)
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System, 16-bit stereo, MIDI support, built-in stereo speakers, volume dial
Interfaces	DC-in, external microphone, external monitor, headphone, RJ-11, RJ-45, 3 x USB 2.0 (Back 1, Left 2), TV-out (s-video)
Expansion	1 x PC Card Type II, 2 x memory slots (1 to configure)
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 2.9 (Mobile Mark™) hours
Operating System	Windows® XP Home pre-installed (Service Pack 2)
Bundled Software	Toshiba utilities and drivers, Toshiba Zooming Utility, Toshiba Touch and Launch, Toshiba Diagnostic Tool, Norton Internet Security™ 2004 (90-Day Free Trial Version), Online user's manual, ConfigFree™, InterVideo WinDVD™ Creator 2, SonicRecord Now!, Microsoft® Office OneNote™ 2003
Bundled Hardware	AC adapter, AC power cable, user manual
Special features	BIOS password, set-up utilities, HDD password on request, SecureSleep™, slot for Kensington Cable Lock, system password security, Toshiba Power Extensions, Plug and Play BIOS, Quick Start Fast Booting & Shut Down, main hard disk (by screw), main memory (by screw)
Physical dimensions	W x L x H: 332mm x 270mm x 28.5mm (front) / 36.6mm (back), weight: 2.70 kg
Warranty	1-year international warranty

Options

Options	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
Adapter & Batteries		
Main Battery Pack	PA3420U-1BRS	229
AC-Adapter	PA3396E-1ACA	160
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
Toshiba Audio / USB Hub	PA3390E-1MPM	225
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Toshiba Audio / USB Hub
Part.No.: PA3390E-1MPM

CHF 225.-






Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite M30X-154		
Windows XP Home German, French, Italian, English	PSA72E-2K8034S4 4026203346222	1699



Model	Satellite M30X-154
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 725 (1.60 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	15.4" TFT WXGA colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1280 x 800
Hard Disk	60 GB (4200rpm)
System Memory	2 x 256 MB, expandable to 2,048 MB DDR RAM
Optical drive	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection
Graphics adapter	ATI MOBILITY™ RADEON™ 9700, 64 MB DDR Video RAM, 3D graphics accelerator, 4 x AGP bus
Keyboard	86 keys, 5 Easy Keys (Mode Select, Rewind, Forward, Play/Pause, Stop), Touch Pad, 2 Windows® keys, Multimedia Bar with CD/DVD/MP3 player control function, 11 Hot Keys
Wired communication	10/100 Base-TX Ethernet LAN, international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, WiFi™ compliant), Fast InfraRed (FIR compliant)
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System Realtec ALC 250, 16-bit Stereo, MIDI Support, built-in stereo speakers, volume dial
Interfaces	external microphone, external monitor, parallel port, headphone (stereo), i.Link (IEEE 1394), DC-in, RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0, 6 in 1 Bridge Media Slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)
PC-Cards	1 x Typ II, 2 x memory slots (0 to configure)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 4.0 hours (Mobile Mark™)
Operating System	Windows® XP Home Edition pre-installed (Service Pack 2)
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, On-line user's manual, Toshiba Power Management Utility, Toshiba utilities and drivers, InterVideo WinDVD™, ConfigFree™, Adobe Acrobat reader, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adaptor, AC Power Cable, user manual, quick start guide
Physical dimensions	W x L x H: 365 x 275 x 30 (front) / 38 (back) mm / 3.10 kg
Warranty	1-year international warranty

Options

Options	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery - Li-Ion, 8 Cell	PA3395U-1BRS	229
AC-Adapter	PA3396E-1ACA	160
Car Adapter	PX1189E-1NPO	190
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site /NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite M40X-107		
Windows XP Home German, French, Italian, English	PSM4XE-01800JS4 4026203359208	1399



Model	Satellite M40X-107
Processor	Intel® Celeron® M Processor 370 (1.5 GHz, 400 MHz Front Side Bus, 1 MB 2nd level cache and mobile Intel 915GML Express chipset)
Display	15.4" TFT WXGA colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1280 x 800
Hard Disk	60 GB (4200rpm)
System Memory	1 x 512MB, maximum expandability: 2,048MB DDR RAM
Optical drive	DVD Super Multi drive (Double Layer); Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection
Graphics adapter	Mobile Intel 915GML Express Chipset, 16-128 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus
Keyboard	86 keys, 4 Easy Keys (Rewind, Forward, Play/Pause, Stop), Touch Pad, 2 Windows® keys, 11 Hot Keys
Wired communication	10/100 Base-TX Ethernet LAN, international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, Wi-Fi™ compliant),
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™ System Realtek ALC250 (on board), 16-bit Stereo, MIDI Support, built-in stereo speakers, volume dial
Interfaces	DC-in, external monitor, headphone (stereo), i.LINK® (IEEE 1394), RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0, 6-in-1 Bridge Media slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)
PC-Cards	1 x Typ II, 2 x memory slots (1 to configure)
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 3.25 hours (Mobile Mark™)
Operating System	Windows® XP Home Edition pre-installed (Service Pack 2)
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, On-line user's manual, Toshiba Power Management Utility, Toshiba utilities and drivers, InterVideo WinDVD™, ConfigFree™, Adobe Acrobat reader, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adapter, AC Power Cable, user manual, quick start guide
Physical dimensions	W x L x H: 365 x 275 x 29.5 (front) / 37.5 (back) mm / 3.0 kg
Warranty	1-year international warranty

Options

	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery - Li-Ion, 8 Cell	PA3395U-1BRS	229
AC-Adapter	PA3432E-1AC3	nya
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site /NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite M40X-126		
Windows XP Home German, French, Italian, English	PSM4XE-01700JS4 4026203359192	1899



PCI
EXPRESS™



Model	Satellite M40X-126
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 740 (1.73 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and mobile Intel® 915PM Express chipset
Display	15.4" Toshiba Clear Super View WXGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1280 x 800
Hard Disk	80 GB (4200rpm)
System Memory	1 x 512MB, maximum expandability: 2,048MB DDR RAM
Optical drive	DVD Super Multi drive (Double Layer); Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection
Graphics adapter	ATI MOBILITY™RADEON™ X300, 64 MB DDR Video RAM, 16x PCI Express
Keyboard	86 keys, 4 Easy Keys (Rewind, Forward, Play/Pause, Stop), Touch Pad, 2 Windows® keys, 13 Function Keys
Wired communication	10/100 Base-TX Ethernet LAN, international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, Wi-Fi™ compliant),
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™ System Realtek ALC250 (on board), 16-bit Stereo, MIDI Support, built-in stereo speakers, volume dial
Interfaces	DC-in, external monitor, headphone (stereo), i.LINK® (IEEE 1394), RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0, 6-in-1 Bridge Media slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)
PC-Cards	1 x Typ II, 2 x memory slots (1 to configure)
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 3.16 hours (Mobile Mark™)
Operating System	Windows® XP Home Edition pre-installed (Service Pack 2)
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, On-line user's manual, Toshiba Power Management Utility, Toshiba utilities and drivers, InterVideo WinDVD™, ConfigFree™, Adobe Acrobat reader, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adapter, AC Power Cable, user manual, quick start guide
Physical dimensions	W x L x H: 365 x 275 x 29.5 (front) / 37.5 (back) mm / 3.0 kg
Warranty	1-year international warranty

Options

Options	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery - Li-Ion, 8 Cell	PA3395U-1BRS	229
AC-Adapter	PA3432E-1AC3	160
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site /NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Satellite M40-152


Windows XP Home German, French, Italian, English	PSM40E-04N02DS4 4026203355125	2399
---	----------------------------------	------


PCI EXPRESS™


Model	Satellite M40-152
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 760 (2.0 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and mobile Intel® 915PM Express chipset
Display	15.4" Toshiba TruBrite WXGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1280 x 800
Hard Disk	80 GB (4200rpm)
System Memory	1 x 512MB, maximum expandability: 2,048MB DDR RAM
Optical drive	DVD Super Multi drive (Double Layer): Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection
Graphics adapter	ATI MOBILITY™RADEON™ X300, 128 MB DDR Video RAM, 16x PCI Express
Keyboard	86 keys, Multimedia Bar with 6 keys (Internet Browser, CD-Contol, Rewind, Play, Stop, Forward), Touch Pad, 2 Windows® keys, 13 Function Keys
Wired communication	10/100 Base-TX Ethernet LAN, international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, Wi-Fi™ compliant),
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™ System, 16-bit Stereo, MIDI Support, built-in Harman Kardon® stereo speakers, volume dial
Interfaces	DC-in, external monitor, headphone (stereo), i.LINK® (IEEE 1394), RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0, 6-in-1 Bridge Media slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)
PC-Cards	1 x Typ II, 2 x memory slots (1 to configure)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 2.3 hours (Mobile Mark™)
Operating System	Windows® XP Home Edition pre-installed (Service Pack 2)
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, On-line user's manual, Toshiba Power Management Utility, Toshiba utilities and drivers, InterVideo WinDVD™, ConfigFree™, Drag'n Drop CD, Express Media Player button for instant-on entertainment, Adobe Acrobat reader, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adaptor, AC Power Cable, user manual, quick start guide
Physical dimensions	W x L x H: 360 x 268,5 x 29 (front) / 36.2 (back) mm / 2.8 kg
Warranty	1-year international warranty

Options

Options	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery Pack	PA3399U-1BRS	195
High Capacity Battery	PA3400U-1BRS	295
AC-Adaptor	PA3378E-1ACA	160
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site /NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459


Optional USB Travel Mouse
Part.No.: PX1096E-1NAC

CHF 69.-

Model / OS / Language	Part No. EAN code	List price incl. VAT
-----------------------	----------------------	-------------------------

Satellite M60-112

Windows XP Home German, French, Italian, English	PSM60E-00X00QS4 4026203369528	2899
---	----------------------------------	------



Model	Satellite M60-112
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 760 (2.0 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and mobile Intel® 915PM Express chipset
Display	17" Toshiba TruBrite WXGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,440 x 900
Hard Disk	80 GB (5400rpm)
System Memory	1 x 512MB, maximum expandability: 2,048MB DDR2 RAM
Optical drive	DVD Super Multi drive (Double Layer); Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD RW, 8x DVD+R, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection
Graphics adapter	MOBILITY™ RADEON® X600SE 256MB HyperMemory™, 16x PCI Express
Keyboard	103 keys, Multimedia Bar with 6 keys (Internet Browser, CD-Contol, Rewind, Play, Stop, Forward), Touch Pad, 2 Windows® keys, 13 Function Keys
Wired communication	10/100 Base-TX Ethernet LAN, international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, Wi-Fi™ compliant),
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™ System, 16-bit Stereo, MIDI Support, built-in Harman Kardon® stereo speakers, volume dial
Interfaces	DC-in, external monitor, headphone (stereo), i.LINK® (IEEE 1394), RJ-11, RJ-45, TV-out (s-video), S-Video-in, 3 x USB 2.0, 5-in-1 Bridge Media slot (supports SD™ Card, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)
Expansion	1 x Typ II, 2 x memory slots (1 to configure), 1 Express card slot
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 4.0 hours (Mobile Mark™)
Operating System	Windows® XP Home Edition pre-installed (Service Pack 2)
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, On-line user's manual, Toshiba Power Management Utility, Toshiba utilities and drivers, InterVideo WinDVD™, ConfigFree™, Drag'n Drop CD, Express Media Player button for instant-on entertainment, Adobe Acrobat reader, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adaptor
Physical dimensions	W x L x H: 394 x 280.3 x 29.8 (front) / 37 (back) mm / 3.55 kg
Warranty	1-year international warranty

Options

Part No.	List-Price incl. VAT
----------	-------------------------

Memory

256MB Memory DDR2 (533MHz)	PA3389U-1M25	125
512MB Memory DDR2 (533MHz)	PA3412U-1M51	299
1024MB (1GB) DDR2 (533MHz)	PA3411U-1M1G	895
256 MB USB Memory	PX1160E-1M25	99

Adapter & Batteries

Battery - Li-Ion, 8 Cell, 4300mAh	PA3431U-1BRS	n/a
AC-Adapter	PA3432E-1ACA	160

Miscellaneous

Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
Toshiba Audio / USB Hub	PA3390E-1MPM	225
USB Travel Mouse	PX1096E-1NAC	69
USB Cordless Optical Mouse	PX1153E-1NAC	89
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345

Carry case

17" XXL Case	PX1187E-1NCA	95
--------------	--------------	----

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359

Toshiba Audio / USB Hub
Part.No.: PA3390E-1MPM

CHF 225.--



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Satellite Pro A60-140

Windows XP Pro German, French, Italian, English	PSA65E-01D037S4 4026203339224	1399
--	----------------------------------	------



Mobile Intel® Pentium® 4 Processor Supporting
Hyper-Threading Technology

Model	Satellite Pro A60-140
Processor	Mobile Intel® Pentium® 4 processor 532 with HT Technology (3.06 GHz, 533 MHz Front Side Bus, 1MB 2nd level cache)
Display	15.0" TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768
Hard Disk	60 GB (4200rpm)
System Memory	2 x 256 MB, maximum expandability: 1,280 MB DDR RAM
Optical drive	DVD Super Multi drive: Read: 24x CD-ROM, 24x CD-R, 12x CD-RW, 8x DVD-ROM, 4x DVD-R, 4x DVD-RW, 4x DVD+R, 4x DVD+RW, 2x DVD-RAM / Write: 16x CD-R, 4x CD-RW, 8x HS CD-RW, 4x DVD-R, 2x DVD-RW, 2.4x DVD+R, 2.4x DVD+RW, 2x DVD-RAM
Diskette drive	optional external 3.5" Floppy disk drive via USB
Graphics adapter	ATI MOBILITY™ RADEON™ 7000 IGP, 64 MB DDR Video RAM (shared), 3D graphics accelerator
Keyboard	86 keys, 11 function Keys, 2 Windows® keys
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN (Wake-On-LAN, remote boot), 56 Kbps data (V.90) and 14.4 Kbps fax (V.17) international modem
Wireless communication	Fast InfraRed (FIR compliant)
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System Realtec ALC 250, 16 bit stereo, built-in stereo speakers, volume dial
Interfaces	built-in speaker, external microphone, external monitor, DC-in, Fast InfraRed (FIR), headphone (stereo), i.LINK® (IEEE1394), parallel, RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0 (rear 2x, right 1x)
Expansion	1 x PC Card Type II, 1 x memory slots (0 to configure)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 3.0 hours
Operating System	Windows® XP Professional pre-installed
Bundled Software	Sonic Record Now!, Microsoft® Office OneNote™ 2003, online user manual, Toshiba ConfigFree™, Toshiba utilities and drivers, WinDVD™, Norton Internet Security™ 2004 (90-Day Free Trial Version)
Bundled Hardware	AC adaptor, AC power cable, user manual, quick start guide
Physical dimensions	W x L x H: 343 x 282 x 38 (front) / 49 (back) mm, weight: 3.50 kg
Warranty	1-year international warranty

Options

	Part. No.	List-Price incl. VAT
--	-----------	-------------------------

Memory

256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895

Adapter & Batteries

Main Battery Pack	PA3382U-1BRS	235
AC-Adapter	PA3290E-2ACA	160
Car Adapter	PX1189E-1NPO	190

Miscellaneous

Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345

Carry case

Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



CHF 59.-

Optional USB Floppy drive
Part.No.: PA3109U-1FDD

Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite Pro M30-873		
Windows XP Pro German, French, Italian, English	PSM35E-003H0-S4 4026203336896	1999
Satellite Pro M30-114		
Windows XP Pro German, French, Italian, English	PSM35E-002X0-S4 4026203336704	2399



Model	Satellite Pro M30-873	Satellite Pro M30-114
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 735 (1.70 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 745 (1.80 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	15.4" TFT WXGA colour display	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1280 x 800	
Hard Disk	60 GB (4200rpm)	80 GB (4200rpm)
System Memory	2 x 256 MB, expandable to 2048 MB DDR RAM	
Optical drive	DVD Super Multi drive: Read: 24x CD-ROM, 24x CD-R, 12x CD-RW, 8x DVD-ROM, 4x DVD-R, 4x DVD-RW, 4x DVD+R, 4x DVD+RW, 2x DVD-RAM / Write: 16x CD-R, 4x CD-RW, 8x HS CD-RW, 4x DVD-R, 2x DVD-RW, 2.4x DVD+R, 2.4x DVD+RW, 2x DVD-RAM	
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection	
Graphics adapter	NVIDIA GeForce™ FX Go 5200, 64 MB DDR Video RAM, 3D graphics accelerator, 4 x AGP bus	
Keyboard	86 keys, 5 Easy Keys (Mode Select, Rewind, Forward, Play/Pause, Stop), Touch Pad, 2 Windows® keys, Multimedia Bar with CD/DVD/MP3 player control function, 3 Hot Keys (Internet launch button, Toshiba console button, TV button)	
Wired communication	10/100 Base-TX Ethernet LAN (Wake-On-LAN, remote boot), 56 Kbps data (V.92) and 14.4 Kbps fax (V.17) international modem	
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, WiFi™ compliant), Fast InfraRed (FIR compliant)	
Sound System	Toshiba Bass Enhanced Sound System STAC 975051 IT, 16-bit Stereo, MIDI Support, built-in stereo speakers - tuned by Harman Kardon, volume dial	
Interfaces	external microphone, external monitor, parallel port, headphone (stereo), DC-in, i.Link (IEEE 1394), RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0, SD™ card slot, Fast Infrared Port (FIR)	
PC-Cards	1 x PC Card Type II, 2 memory slots (0 to configure)	
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: up to 3.2 hours (Mobile mark™)	
Operating System	Windows® XP Professional pre-installed	
Bundled Software	Online user and modem manual, Toshiba console, Toshiba utilities and drivers, WinDVD™, Drag'n Drop CD, ConfigFree™, Microsoft® Office OneNote™ 2003, Norton Internet Security™ 2004 (90-Day Free Trial Version)	
Bundled Hardware	AC adaptor, AC power cable, user manual, quick start guide	
Physical dimensions	W x L x H: 360mm x 270mm x 25mm (Front/ 36mm (Back), weight: 2.78 kg	
Warranty	1-year international warranty	

Options

Options	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery Pack, 6 Cell	PA3331U-1BRS	195
High Capacity Battery, 12 Cell	PA3332U-1BRS	345
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car Adapter	PX1188E-1NPO	190
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site /NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459




Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Satellite Pro M30-894		
Windows XP Pro German, French, Italian, English	PSM35E-006P0-S4 4026203327535	2299



Model	Satellite Pro M30-894
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 735 (1.70 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	15.4" TFT WXGA colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1280 x 800
Hard Disk	80 GB (4200rpm)
System Memory	1 x 512 MB (1 memory slot free), expandable to 2048 MB DDR RAM
Optical drive	DVD Super Multi drive: Read: 24x CD-ROM, 24x CD-R, 12x CD-RW, 8x DVD-ROM, 4x DVD-R, 4x DVD-RW, 4x DVD+R, 4x DVD+RW, 2x DVD-RAM / Write: 16x CD-R, 4x CD-RW, 8x HS CD-RW, 4x DVD-R, 2x DVD-RW, 2.4x DVD+R, 2.4x DVD+RW, 2x DVD-RAM
Diskette drive	Optional external 3.5" Floppy disk drive via USB connection
Graphics adapter	NVIDIA GeForce™ FX Go 5200, 64 MB DDR Video RAM, 3D graphics accelerator, 4 x AGP bus
Keyboard	86 keys, 5 Easy Keys (Mode Select, Rewind, Forward, Play/Pause, Stop), Touch Pad, 2 Windows® keys, Multimedia Bar with CD/DVD/MP3 player control function, 3 Hot Keys (Internet launch button, Toshiba console button, TV button)
Wired communication	10/100 Base-TX Ethernet LAN, international V.90 modem
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, dual band 802.11a/b network support ready, WiFi™ compliant), Fast InfraRed (FIR compliant)
Sound System	Toshiba Bass Enhanced Sound System STAC 975051 IT, 16-bit Stereo, MIDI Support, built-in stereo speakers - tuned by Harman Kardon, volume dial
Interfaces	external microphone, external monitor, parallel port, headphone (stereo), i.Link (IEEE 1394), RJ-11, RJ-45, TV-out (s-video), 3 x USB 2.0, SD™ card slot
PC-Cards	1 x Typ II
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 3.7 hours
Operating System	Windows® XP Professional pre-installed
Bundled Software	Online user and modem manual, Toshiba console, Toshiba utilities and drivers, WinDVD™, Drag'n Drop CD, ConfigFree™, Microsoft® Office OneNote™ 2003
Bundled Hardware	AC adaptor, AC power cable, user manual, quick start guide
Physical dimensions	W x L x H: 360mm x 270mm x 25mm (Front)/ 36mm (Back), weight: 2.78 kg
Warranty	1-year international warranty

Options	Part. No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery Pack, 6 Cell	PA3331U-1BRS	195
High Capacity Battery, 12 Cell	PA3332U-1BRS	345
AC-Adaptor	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car Adaptor	PX1188E-1NPO	190
Miscellaneous		
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCG	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH-	250
3 Yr. Local On-Site /NBD	SE5553CH-P/OPT5553CH-	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Tecra A2/1.7

Windows XP Pro German, French, Italian, English	PTA20E-02G01PS4 4026203326033	1999
--	----------------------------------	------



Model	Tecra A2/1.7
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 735 (1.70 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	15" TFT colour display (SXGA+ resolution)
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,400 x 1050
Hard Disk	60 GB (4200rpm)
System Memory	1 x 512 MB, maximum expandability: 2,048 MB DDR RAM
Optical drive	CD-RW/DVD-ROM drive, maximum speed: 24x CD-ROM, 24x CD-R, 24x CD-RW, 8x DVD-ROM
Diskette drive	optional external 3.5", Floppy disk drive via USB
Graphics adapter	Intel® 855GME, 16-64 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus
Keyboard	86 keys, 13 function keys, 4 cursor keys, inlaid numeric keypad, 2 Hot Keys, EURO key, 2 Windows® keys
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem, V.92 ready
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant)
Sound System	Software Sound, 16-bit stereo, built-in stereo speakers, external, volume dial
Interfaces	Built-in speaker, DC-in, expansion bus connector, external microphone, external monitor, headphone, parallel, RJ-11, RJ-45, 2 x USB 2.0
Expansion	1 x PC Card Type II, connects to Advanced Port Replicator (optional), 2 x memory slots (1 to configure)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: Up to 3.7 (Mobile Mark™) hours
Operating System	Windows® XP Professional pre-installed
Bundled Software	Connectivity Doctor, online user and modem manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba utilities and drivers, WinDVD™ Creator, Microsoft® Office OneNote™ 2003
Bundled Hardware	AC adaptor, AC power cable, user manual, quick start guide
Special features	Common docking and options with other Toshiba notebooks, BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, user password
Physical dimensions	W x L x H: 338 x 274 x 27 (front) / 38 (back) mm, weight: 2.7 kg
Warranty	1-year international warranty

Options

	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery Pack	PA3356U-1BRS	195
High Capacity Battery Pack	PA3357U-1BRL	295
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car Adapter	PX1188E-1NPO	190
Miscellaneous		
Advanced Port Replicator III	PA3314E-1PRP	295
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Optional Advanced Port Replicator III
Part.No.: PA3314E-1PRP

CHF 295.--



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Tecra A2-115		
Windows XP Pro German, French, Italian, English	PTA20E-4M603YS4 402620337176	1999



Model	Tecra A2-115
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 735 (1.70 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	15" TFT colour display (XGA resolution)
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,024 x 768
Hard Disk	80 GB (4200rpm)
System Memory	1 x 512 MB, expandable to 2048 MB DDR Video RAM
Optical drive	DVD Super Multi drive: Read: 24x CD-ROM, 24x CD-R, 12x CD-RW, 8x DVD-ROM, 4x DVD-R, 4x DVD-RW, 4x DVD+R, 4x DVD+RW, 2x DVD-RAM / Write: 16x CD-R, 4x CD-RW, 8x HS CD-RW, 4x DVD-R, 2x DVD-RW, 2.4x DVD+R, 2.4x DVD+RW, 2x DVD-RAM
Diskette drive	optional external 3.5", Floppy disk drive via USB
Graphics adapter	Intel® 855GME, 16-64 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus
Keyboard	86 keys, 12 function keys, inlaid numeric keypad, EURO key, 2 Windows® keys
Pointing device	Touch Pad
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem, V.92 ready
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant)
Sound System	Software Sound, 16-bit stereo, built-in stereo speakers, MIDI Support, volume dial
Interfaces	Built-in speaker, DC-in, expansion bus connector, external microphone, external monitor, headphone, parallel, RJ-11, RJ-45, 2 x USB 2.0
Expansion	1 x PC Card Type II, connects to Advanced Port Replicator III (optional), 2 x memory slots (1 to configure)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: Up to 3.7 (Mobile Mark™) hours
Operating System	Windows® XP Professional pre-installed
Bundled Software	Connectivity Doctor, online user and modem manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba utilities and drivers, WinDVD™ 2000, Microsoft® Office OneNote™ 2003
Bundled Hardware	AC adapter, AC power cable, user manual, quick start guide
Special features	Common docking and options with other Toshiba notebooks, BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, user password
Physical dimensions	W x L x H: 338 x 274 x 27 (front) / 38 (back) mm, weight: 2.7 kg
Warranty	1-year international warranty

Options

	Part. No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
Main Battery Pack	PA3356U-1BRS	195
High Capacity Battery Pack	PA3357U-1BRL	295
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car Adapter	PX1188E-1NPO	190
Miscellaneous		
Advanced Port Replicator III	PA3314E-1PRP	295
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Tecra A3-148

Windows XP Pro German, French, Italian, English	PTA30E-02200HS4 4026203358010	1799
--	----------------------------------	------

Tecra A3-152

Windows XP Pro German, French, Italian, English	PTA30E-02300HS4 4026203358027	1999
--	----------------------------------	------



Toshiba EasyGuard
Carefree Mobile Computing



Model	Tecra A3-148	Tecra A3-152
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 740 (1.73 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Mobile Intel® 915GM express chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 750 (1.86 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Mobile Intel® 915GM express chipset
Display	15" XGA TFT colour display	15" Toshiba TruBrite XGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,024 x 768	
Hard Disk	80 GB, Enhanced IDE (ATA-6)	
System Memory	1 x 512 MB, expandable to 2048 MB DDR Video RAM	
Optical drive	DVD Super Multi Drive (Double Layer), maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10 US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM	
Diskette drive	optional external 3.5", Floppy disk drive via USB	
Graphics adapter	Mobile Intel 915GM Express Chipset, 16-128 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus	
Keyboard	86 keys, 13 function keys, inlaid numeric keypad, EURO key, 2 Windows® keys, Toshiba Console Button, Presentation Button	
Pointing device	Touch Pad	
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem, V.92 ready	
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant)	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant), Bluetooth™ integrated
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System Realtek ALC 250, 16-bit stereo, built-in stereo speakers, MIDI Support, volume dial	
Interfaces	Built-in speaker, DC-in, expansion bus connector, external microphone, external monitor, headphone, RJ-11, RJ-45, 3 x USB 2.0, i.link (IEEE 1394), TV-out (S-Video), 6 in 1 Bridge Media Slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)	
Expansion	1 x PC Card Type II, connects to Advanced Port Replicator III (optional), 2 x memory slots (1 to configure)	
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: Up to 3.46 (Mobile Mark™) hours	
Operating System	Windows® XP Professional pre-installed (Service Pack 2)	
Bundled Software	Toshiba utilities and drivers, Toshiba Zooming Utility, Toshiba Touch and Launch, Toshiba Diagnostic Tool, Norton Internet Security™ 2004 (90-Day Free Trial Version), Online user's manual, ConfigFree™, InterVideo WinDVD™ Creator 2, SonicRecord Now!, Microsoft® Office OneNote™ 2003	
Bundled Hardware	AC adapter, AC power cable, user manual, quick start guide	
Special features	Common docking and options with other Toshiba notebooks, BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security	
Toshiba Easy Guard	Execute Disable Bit Protection (XD-Bit), Durable Design, PC Diagnostics, Data Backup, Easy Fix Components, Kensington Lock, Diversity Antenna, Toshiba ConfigFree™	
Physical dimensions	W x L x H: 338 x 279 x 29 / 37 mm, weight: from 2.7 kg	
Warranty	1-year international warranty	

Options

	Part. No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-2M25	125
512 MB DDR RAM (333MHz)	PA3312U-2M51	299
1024 MB DDR RAM (333MHz)	PA3313U-2M1G	895
Adapter & Batteries		
Main Battery Pack	PA3399U-1BRS	195
AC-Adapter	PA3378E-1ACA	160
High Capacity Battery	PA3400U-1BRS	295
Car Adapter	PX1188E-1NPO	190
Miscellaneous		
Advanced Port Replicator III	PA3314E-1PRP	295
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Optional Advanced Port Replicator III
Part.No.: PA3314E-1PRP

CHF 295.--



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Tecra A3-114		
Windows XP Pro German, French, Italian, English	PTA30E-01E00HS4 4026203350137	1599
Tecra A3-106		
Windows XP Pro German, French, Italian, English	PTA30E-01D00HS4 4026203349933	1799



Model	Tecra A3-114	Tecra A3-106
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 730 (1.60 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Mobile Intel® 915GM express chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 740 (1.73 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Mobile Intel® 915GM express chipset
Display	15" TFT colour display (XGA resolution)	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,024 x 768	
Hard Disk	60 GB (4200rpm)	80 GB (4200rpm)
System Memory	1 x 512 MB, expandable to 2048 MB DDR Video RAM	
Optical drive	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM	
Diskette drive	optional external 3.5", Floppy disk drive via USB	
Graphics adapter	Mobile Intel 915GM Express Chipset, 16-128 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus	
Keyboard	86 keys, 13 function keys, inlaid numeric keypad, EURO key, 2 Windows® keys, Toshiba Console Button, Presentation Button	
Pointing device	Touch Pad	
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem, V.92 ready	
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant)	
Sound System	Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System Realtec ALC 250, 16-bit stereo, built-in stereo speakers, MIDI Support, volume dial	
Interfaces	Built-in speaker, DC-in, expansion bus connector, external microphone, external monitor, headphone, RJ-11, RJ-45, 3 x USB 2.0, i.link (IEEE 1394), TV-out (S-Video), 6 in 1 Bridge Media Slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)	
Expansion	1 x PC Card Type II, connects to Advanced Port Replicator III (optional), 2 x memory slots (1 to configure)	
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: Up to 3.46 (Mobile Mark™) hours	
Operating System	Windows® XP Professional pre-installed (Service Pack 2)	
Bundled Software	Toshiba utilities and drivers, Toshiba Zooming Utility, Toshiba Touch and Launch, Toshiba Diagnostic Tool, Norton Internet Security™ 2004 (90-Day Free Trial Version), Online user's manual, ConfigFree™, InterVideo WinDVD™ Creator 2, SonicRecord Now!, Microsoft® Office OneNote™ 2003	
Bundled Hardware	AC adaptor, AC power cable, user manual, quick start guide	
Special features	Common docking and options with other Toshiba notebooks, BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security	
Toshiba Easy Guard	Execute Disable Bit Protection (XD-Bit), Durable Design, PC Diagnostics, Data Backup, Easy Fix Components, Kensington Lock, Diversity Antenna, Toshiba ConfigFree™	
Physical dimensions	W x L x H: 338 x 279 x 29 / 37 mm, weight: from 2.7 kg	
Warranty	1-year international warranty	

Options

	Part. No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-2M25	125
512 MB DDR RAM (333MHz)	PA3312U-2M51	299
1024 MB DDR RAM (333MHz)	PA3313U-2M1G	895
Adapter & Batteries		
Main Battery Pack	PA3399U-1BRS	195
AC-Adaptor	PA3378E-1ACA	160
High Capacity Battery	PA3400U-1BRS	295
Car Adapter	PX1188E-1NPO	190
Miscellaneous		
Advanced Port Replicator III	PA3314E-1PRP	295
Bluetooth PC-Card Ver. 1.1	PX1086E-1PCC	195
USB 2.0 Port Replicator II	PX1173E-1PRP	99
USB Travel Mouse	PX1096E-1NAC	69
USB Floppy Disk Drive	PA3109U-1FDD	59
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local PickUp & Return	SE5353CH-P/OPT5353CH	250
3 Yr. Local On-Site / NBD	SE5553CH-P/OPT5553CH	380
3 Yr. EMEA On-Site / NBD	SE5553E	575
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Optional Advanced Port Replicator III
Part.No.: PA3314E-1PRP

CHF 295.--



Model / OS / Language Part No. List price
EAN code incl. VAT

Tecra A4-109

Windows XP Pro PTA40E-0UT00JS4 2199
German, French, Italian, English 4026203355729

Tecra A4-171

Windows XP Pro PTA40E-0US00JS4 2599
German, French, Italian, English 4026203355590



Model	Tecra A4-109	Tecra A4-171
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 750 (1.86 GHz, 533 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 915PM express chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 760 (2.0 GHz, 533 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 915PM express chipset
Display	15.4" WXGA TFT colour display	15.4" Toshiba TruBrite WXGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,280 x 800	
Hard Disk	80 GB-Festplatte (4'200 U/min), Enhanced IDE (ATA-6)	
System Memory	1 x 512 MB, maximum expandability: 2,048 MB DDR RAM	
Optical drive	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10 US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM	DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD+R, 8x DVD+RW, 2.4x DVD+R (Double Layer), 4x DVD+RW, 3x DVD-RAM
Diskette drive	optional external 3.5", Floppy disk drive via USB	
Graphics adapter	ATI MOBILITY™ RADEON™ X300, 128 MB Video RAM, 16x PCI Express	
Keyboard	86 keys, 4 cursor keys, inlaid numeric keypad, 2 Hot Keys, 2 Windows® keys, Toshiba Presentation Button, Toshiba Assist Button	
Pointing device	Touch Pad	
Wired communication	Gigabit Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem, V.92 ready	
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant), Fast InfraRed (FIR compliant)	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant), Fast InfraRed (FIR compliant), integrated Bluetooth™
Sound System	Toshiba Bass Enhanced Sound System with SRS® TruSurround XT™-System, built-in stereo speakers, built-in microphone, volume dial	
Interfaces	DC-in, external microphone, external monitor, Fast InfraRed (FIR), headphone, RJ-11, RJ-45, TV-out (s-Video), 3 x USB 2.0, i.LINK® (IEEE 1394), parallel, 6-in-1 Bridge Media Adapter (supports SD™ Card, SmartMedia™, Memory Stick™, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™)	
Expansion	1 x PC Card Type II, connects to Advanced Port Replicator III (optional), 2 x memory slots (1 to configure)	
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: up to 2.3 (Mobile Mark™) hours	
Operating System	Windows® XP Professional pre-installed	
Bundled Software	Microsoft® Office OneNote™ 2003, on-line user's and modem manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba utilities and drivers, Sonic RecordNow!, WinDVD™, InterVideo® WinDVD Creator 2 Platinum, Connectivity Doctor, Norton Internet Security™ 2004 (90-Day Free Trial Version)	
Bundled Hardware	AC adaptor	
Special features	Common docking and options with other Toshiba notebooks, SM BIOS compliant, Toshiba Power Saver Utility, Toshiba Presentation Button, Toshiba Assist Button	
Toshiba Easy Guard	Execute Disable Bit Protection (XD-Bit), Data Backup, Durable Design, Kensington Lock, Diversity Antenna, Toshiba ConfigFree™, PC Diagnostics, Easy Fix Components	
Physical dimensions	W x L x H: 360 x 268,5 x 29 (front) / 36,2 (back) mm, weight: from 2.8 kg	
Warranty	1-year international warranty	

Options

Part. No. List-Price
incl. VAT

Memory

256 MB DDR RAM (333MHz) PA3311U-2M25 125
512 MB DDR RAM (333MHz) PA3312U-2M51 299
1024 MB DDR RAM (333MHz) PA3313U-2M1G 895

Adapter & Batteries

Main Battery Pack PA3399U-1BRS 195
AC-Adapter PA3378E-1ACA 160
High Capacity Battery PA3400U-1BRS 295
Car Adapter PX1188E-1NPO 190

Miscellaneous

Advanced Port Replicator III PA3314E-1PRP 295
USB 2.0 Port Replicator II PX1173E-1PRP 99
USB Travel Mouse PX1096E-1NAC 69
USB Floppy Disk Drive PA3109U-1FDD 59
Super Slim Ext.CD-RW/DVD PA3438U-1CD2 345

Carry case

Carry Case PX1181E-1NCA 45
Backpack PX1184E-1NCA 65
Compact Case PX1185E-1NCA 85

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.) OPT5003W 200
3 Yr. Local PickUp & Return SE5353CH-P/OPT5353CH 250
3 Yr. Local On-Site / NBD SE5553CH-P/OPT5553CH 380
3 Yr. EMEA On-Site / NBD SE5553E 575

Optional Advanced Port Replicator III
Part.No.: PPA3314E-1PRP

CHF 295.-



Model / OS / Language Part No.
EAN code List price
incl. VAT

Tecra M2/1.6

Windows XP Pro PTM20E-4MP1M-S4
German, French, Italian, English 4026203338432 2499

Tecra M2/1.8

Windows XP Pro PTM20E-0QC4M-S4
German, French, Italian, English 4026203338258 2999



Model	Tecra M2/1.6	Tecra M2/1.8
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 725 (1.6GHz, 400 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855PM chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 745 (1.80 GHz, 400 MHz Front Side Bus, 2 MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	14.1" TFT colour display	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768	
Hard Disk	40 GB (4200rpm)	80 GB (4200rpm)
System Memory	1 x 512 MB, maximum expandability: 2,048 MB DDR RAM	
Optical drive	Slim Select Bay CD-RW/DVD-ROM drive, maximum speed: 24x CD-ROM, 24x CD-R, 24x CD-RW, 8x DVD	
Diskette drive	optional external 3.5", Floppy disk drive via USB	
Graphics adapter	NVIDIA GeForce™ FX Go 5200, 64 MB DDR Video RAM, 3D graphics accelerator, 4 x AGP bus	
Keyboard	86 keys, 4 cursor keys, inlaid numeric keypad, 2 Hot Keys, 2 Windows® keys, Toshiba console button, Toshiba presentation button	
Pointing device	Toshiba Dual Pointing Device consists of integrated AccuPoint™ II and Touch Pad	
Wired communication	10/100/1000 Base-TX Ethernet LAN, 56 Kbps (V.90); 14.4 Kbps fax international V.90 modem, V.92 ready	
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant), Fast InfraRed (FIR compliant), built-in Bluetooth antenna (upgradable with optional Bluetooth module: Part#PA3235U-2BTM)	
Sound System	Analog devices, 16-bit stereo, built-in stereo speakers, volume dial	
Interfaces	DC-in, expansion bus connector, external microphone, external monitor, Fast InfraRed (FIR), headphone, parallel (ECP), RJ-11, RJ-45, SD™ card slot, TV-out (s-Video), 2 x USB 2.0, i.LINK® (IEEE1394)	
Expansion	2 x PC Card Type II or 1 x PC Card Type III, connects to Advanced Port Replicator (optional), 2 x memory slots (1 to configure)	
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: up to 4.0 (Mobile Mark™) hours, with optional 2nd battery up to 7.3 (Mobile Mark™) hours	
Operating System	Windows® XP Professional pre-installed	
Bundled Software	Bluetooth™ Service Center, Drag 'n' Drop CD, on-line user's and modem manual, Toshiba Management Console, Toshiba utilities and drivers, WinDVD™ 2000, Drag'n Drop CD, ConfigFree™, Connectivity Doctor, Microsoft® Office OneNote™ 2003	
Bundled Hardware	AC adapter, AC power cable, user manual, quick start guide	
Special features	Common docking and options with other Toshiba notebooks, BIOS password, HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, user password	
Physical dimensions	W x L x H: 314 x 259 x 31.5/34.9mm, weight: from 2.26 kg	
Warranty	1-year international warranty	

Options

Part No. List-Price
incl. VAT

Memory

256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895

Port Replicator / SelectBay Modules

Advanced Port Replicator III	PA3314E-1PRP	295
USB 2.0 Port Replicator II	PX1173E-1PRP	99
SelectBay DVD±R/±RW	PA3358E-1DV5	395
SelectBay Multi drive	PA3231E-1DV1	495
SelectBay Super Multi drive	PA3359E-1DV2	445
SelectBay HDD Adapter	PA3134U-1ETC	125
SelectBay 2nd HD 60 GB	PA3204U-1H60	495
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345

Adapter & Batteries

Main Battery Pack	PA3356U-1BRS	195
High Capacity Battery Pack	PA3357U-1BRL	295
2nd Battery for SelectBay	PA3129U-2BRS	395
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car Adapter	PX1188E-1NPO	190

Miscellaneous

WLAN Mini PCI Card - 802.11g	PA3363E-1MPC	80
Bluetooth SD Card ver. 1.1	PA3271U-1BTM	195
Bluetooth Module Version 1.1	PA3235U-2BTM	195
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69

Options

Part No. List-Price
incl. VAT

Carry case

Nylon Case	HS9730CH	45
Leather Case	HS9730CHL	159
Toshiba Koskin case	PX1123E-1NCA	159

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/	250
	OPT5353CH	
3 Yr. Local On-Site / NBD	SE5553CH-P/OI	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List price incl. VAT
-----------------------	----------------------	-------------------------

Tecra M3-133

Windows XP Pro German, French, Italian, English	PTM30E-0CN01US4 4026203367579	2990
--	----------------------------------	------

Tecra M3-137

Windows XP Pro German, French, Italian, English	PTM30E-0CM01US4 4026203367586	3490
--	----------------------------------	------



Toshiba EasyGuard
Carefree Mobile Computing



Model	Tecra M3-133		Tecra M3-137	
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 740 (1.73 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache), Intel® PRO/Wireless 2200BG network connection and Intel® 915PM Express chipset		Intel® Centrino™ mobile technology including Intel® Pentium® M processor 760 (2.0 GHz, 533 MHz Front Side Bus, 2 MB 2nd level cache), Intel® PRO/Wireless 2200BG network connection and Intel® 915PM Express chipset	
Display	14.1" XGA TFT display			
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768			
Hard Disk	60 GB (5,400 rpm), Enhanced IDE (ATA-6)		100 GB (5,400 rpm), Enhanced IDE (ATA-6)	
System Memory	1 x 512 MB, maximum expandability: 2,048 MB DDR2 RAM			
Optical drive	DVD Super Multi Drive (Double Layer), maximum speed: Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW,10x HS CD-RW, 10 US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM			
Diskette drive	optional external 3.5", Floppy disk drive via USB			
Graphics adapter	NVIDIA® GeForce™ Go6200, 64 MB DDR Video RAM, 16x PCI Express			
Keyboard	86 keys, 4 cursor keys, inlaid numeric keypad, 2 Hot Keys, 2 Windows® keys, Toshiba console button, Toshiba presentation button			
Pointing device	Toshiba Dual Pointing Device consists of integrated AccuPoint™ II and Touch Pad			
Wired communication	Gigabit Ethernet LAN, international V.90 modem (V.92 ready)			
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, Wi-Fi™ compliant), Fast InfraRed (FIR compliant), Bluetooth™ integrated			
Sound System	Toshiba Bass Enhanced Sound System, built-in stereo speakers, built-in microphone, volume dial			
Interfaces	DC-in, headphone, external monitor, expansion bus connector, i.LINK® (IEEE 1394), RJ-11, RJ-45, parallel, TV-out (s-video), SD™ Card slot, external microphone, built-in speaker, 2x USB 2.0			
Expansion	connection to Advanced Port Replicator III (optional), PC Card slot for 1x Type II card, ExpressCard™ slot, 2 memory slots (1 to configure)			
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage			
Battery	Technology: lithium-ion, maximum life: up to 3:12 hours (Mobile Mark™)			
Operating System	Windows® XP Professional pre-installed			
Bundled Software	Microsoft® Office OneNote™ 2003, online user and modem manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba utilities and drivers, Sonic RecordNow!, WinDVD™, Connectivity Doctor, Bluetooth™ Service Center, Norton Internet Security 2004 (90 day free trial version)			
Bundled Hardware	AC adaptor			
Special features	SM BIOS compliant, common docking and options with other Toshiba notebooks, Toshiba Enhanced SpeedStep, Toshiba Presentation button, Toshiba Power Saver utility, Toshiba Assist button			
Toshiba EasyGuard	Execute Disable Bit Protection (XD-Bit), Data Backup, Magnesium Casework, Kensington Lock, Diversity Antenna, Toshiba ConfigFree™, PC Diagnostics, Durable Design, Easy Fix Components, Trusted Platform Module (TPM), Device Lock, Password Utility			
Physical dimensions	W x L x H: 314 x 259 x 31.5 (front) / 34.9 (back) mm, weight: 2,26 kg			
Warranty	3-year international warranty			

Options

	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895

Port Replicator / SelectBay Modules

Advanced Port Replicator III	PA3314E-1PRP	295
USB 2.0 Port Replicator II	PX1173E-1PRP	99
SelectBay DVD±R/±RW	PA3358E-1DV5	395
SelectBay Multi drive	PA3231E-1DV1	495
SelectBay HDD Adapter	PA3134U-1ETC	125
80GB HDD - 5400rpm	PA3230U-1H80	665

Adapter & Batteries

Main Battery Pack	PA3356U-2BRS	195
High Capacity Battery Pack	PA3357U-1BRL	295
2nd Battery for SelectBay	PA3129U-2BRS	395
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car Adapter	PX1188E-1NPO	190

Miscellaneous

Bluetooth PC Card , Vers. 1.1	PX1086E-1PCC	195
Bluetooth SD Card ver. 1.1	PA3271U-1BTM	195
Bluetooth Module Version 1.1	PA3235U-2BTM	195
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69
USB Travel Mouse	PX1096E-1NAC	69

Options

	Part No.	List-Price incl. VAT
Carry case		
Nylon Case	HS9730CH	45
Leather Case	HS9730CHL	159
Toshiba Koskin case	PX1123E-1NCA	159

SelectServ® WarrantyPacks

3 Yr. Warranty (2 yr. add.)	OPT5003W	200
3 Yr. Local Pickup & Return	SE5353CH-P/	250
	OPT5353CH	
3 Yr. Local On-Site / NBD	SE5553CH-P/	380
3 Yr. EMEA On-Site / NBD	SE5553E	575

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language Part No. List-Price
EAN code incl. VAT

Tecra S2-131

Windows XP Pro PTS20E-023026S4
German, French, Italian, English 4026203355019 2390

Tecra S2-128

Windows XP Pro PTS20E-01Q027S4
German, French, Italian, English 4026203355002 2890



Model	Tecra S2-131		Tecra S2-128	
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 730 (1.60 GHz, 533 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 915 PM Express chipset		Intel® Centrino™ mobile technology including Intel® Pentium® M processor 740 (1.73 GHz, 533 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 915 PM Express chipset	
Display	15" TFT colour display (XGA resolution)		15" TFT colour display (SXGA+ resolution)	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768		Maximum number of colours: 16.7 million, resolution: 1400 x 1050	
Hard Disk	60 GB (4200 rpm), Enhanced IDE (ATA-6)		80 GB (4200 rpm), Enhanced IDE (ATA-6)	
System Memory	1 x 512 MB, maximum expandability: 2,048, technology: DDR RAM			
Optical drive	Slim Select Bay CD-RW/DVD-ROM drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM / Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 24x US CD-RW		Slim SelectBay DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM / Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 10x US CD-RW, 8x DVD-R, 4x DVD-RW, 8x DVD+R, 4x DVD+RW, 3x DVD-RAM	
Diskette drive	optional external 3.5", Floppy disk drive via USB			
Graphics adapter	NVIDIA® GeForce™ Go 6600, 64 MB DDR Video RAM, 16x PCI Express			
Keyboard	86 keys, 12 function keys, inlaid numeric keypad, EURO key, 2 Windows® keys, Toshiba Assist Button, Presentation Button			
Pointing device	Toshiba Dual Pointing Device consists of integrated AccuPoint™ II and Touch Pad			
Wired communication	10/100/1000 Base-TX Ethernet LAN, 56 Kbps data (V.90) and 14.4 Kbps fax (V.17) international V.90 modem, (V.92 ready)			
Wireless communication	Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant), Fast InfraRed (FIR compliant)		Bluetooth™, Integrated Wireless LAN (802.11b/g network support integrated, WiFi™ compliant), Fast InfraRed (FIR compliant)	
Sound System	Toshiba Bass Enhanced Sound System, built-in stereo speakers, built-in microphone, volume dial			
Interfaces	6-in-1 Bridge Media slot (supports SD™ Card, SmartMedia™, Memory Stick®, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™) DC-in, built-in microphone, external monitor, headphone, i.LINK® (IEEE 1394), parallel, serial, RJ-11, RJ-45, TV-out (s-video), 3x USB 2.0, built-in speaker, expansion bus connector			
Expansion	connection to Advanced Port Replicator III (optional), PC Card slot for 2 x Type II card or 1 x Type III, ExpressCard™ slot, 2 memory slots (1 to configure)			
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage			
Battery	Technology: lithium-ion, maximum life: up to 3:42 hours (Mobile Mark™)			
Operating System	Windows® XP Professional pre-installed (Service Pack 2)			
Bundled Software	Microsoft® Office OneNote™ 2003, online user and modem manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba utilities and drivers, Sonic RecordNow!, WinDVD™, Connectivity Doctor, Norton Internet Security 2004 (90 day free trial version)			
Bundled Hardware	AC adapter			
Special features	SM BIOS compliant, common docking and options with other Toshiba notebooks, Toshiba Enhanced SpeedStep, Toshiba Power Saver utility, Toshiba Presentation button, Toshiba Assist button			
Toshiba Easy Guard	Execute Disable Bit Protection (XD-Bit), Data Backup, Durable Design, Kensington Lock, Diversity Antenna, Toshiba ConfigFree™, PC Diagnostics, Easy Fix Components			
Physical dimensions	W x L x H: 338 x 279.7 x 29.7 / 37.2mm, weight: 2.8 kg			
Warranty	3-year international warranty bring-in			

Options

Part No. List-Price
incl. VAT

Memory

256 MB DDR RAM (333MHz) PA3311U-2M25 125
512 MB DDR RAM (333MHz) PA3312U-2M51 299
1024 MB DDR RAM (333MHz) PA3313U-2M1G 895

Adapter & Batteries

AC-Adapter PA3378E-1ACA 160
Battery Pack PA3399U-1BRS 195
High Capacity Battery PA3400U-1BRS 295
Car Adapter PX1188E-1NPO 190

External devices and miscellaneous

Advanced Port Replicator III PA3314E-1PRP 295
USB Floppy Disk Drive PA3109U-1FDD 59
USB Travel Mouse PX1096E-1NAC 69
Super Multi Drive via USB PA3402E-1DV2 495
CD-ROM drive via PC-Card PX1052E-1NMD 165
Super Slim Ext.CD-RW/DVD PA3438U-1CD2 345

Carry case

Carry Case PX1181E-1NCA 45
Backpack PX1184E-1NCA 65
Compact Case PX1185E-1NCA 85

SelectServ® WarrantyPacks

3 Yr. Local Pickup & Return OPT5253CH 190
3 Yr. Local On-Site / NBD SE5453CH-P/OPT5453CH 325
3 Yr. EMEA On-Site / NBD SE5453E 400

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-) INSURA3CH-P 319
Band B (Value CHF 2401 - 3600.-) INSURB3CH-P 359



CHF 345.-

Super Slim External CD-RW/DVD-ROM
Part.No.: PA3438U-1CD2


Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Portégé M200-101

XP Tablet PC Edition German, French, Italian, English	PPM21E-02QFZ-S4 4026203334946	2795
--	----------------------------------	------

Portégé M200-152

XP Tablet PC Edition German, French, Italian, English	PPM21E-0260Z-S4 4026203375024	2995
--	----------------------------------	------



Model	Portégé M200-101	Portégé M200-152
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 725 (1.6 GHz, 400 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855PM chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 745 (1.8 GHz, 400 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855PM chipset
Display	12.1" SXGA+ TFT polysilicon active matrix colour display	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1400 x 1050	
Hard Disk	60 GB (5400 rpm), S.M.A.R.T.	
System Memory	1 x 512 MB, maximum expandability: 2048 MB, technology: DDR RAM	
Optical drive	Optional	
Graphics adapter	Nvidia® GeForce™ FX Go5200, 32 MB DDR Video RAM, 4 x AGP bus	
Max. external video modes	Max. colours: 16.7 million, max. refresh rate: 100 Hz, max. resolution: 2,048 x 1,536, non-interlaced resolution with max. refresh rate: 1,600 x 1,200	
Keyboard	85 keys, 13 function keys, 4 cursor keys, inlaid numeric keypad, 3 Hot Keys, EURO key, 2 Windows® keys, cross functional button, ESC/rotation button, Windows® security tablet button, 4 Tablet Pen buttons	
Pointing device	Tablet Pen, Touch Pad	
Wireless communication	Bluetooth™, Fast InfraRed, Wireless LAN (802.11g integrated, dual band-ready (802.11a/b) network support)	
Wired communication	10/100 Base-TX Ethernet Ethernet, 56 Kbps data (V.90); 14.4 Kbps fax (V.17) international V.90 modem	
Sound System	Analog Devices, 16-bit stereo, built-in speaker, built-in stereo microphone, volume dial	
Interfaces	DC-in, external microphone, external monitor, Fast InfraRed (FIR), headphone, RJ-11, RJ-45, 2 x USB 2.0	
Expansion	PC Card slot for 1 Type II card, 2 x memory slots (1 to configure), SD™ Card slot	
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: up to 4.5 hours (Mobile Mark™)	
Operating System	Windows® XP Tablet PC Edition	
Bundled Software	Bluetooth™ Service Center, ConfigFree™, online user manual, Symbol Commander, Toshiba Management Console, Toshiba utilities and drivers, Microsoft® Office OneNote™ 2003	
Bundled Hardware	AC adaptor, AC power cable, Tablet Pen, user manual, quick start guide	
Security features	BIOS password, built-in modem/LAN (by screw), HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, Tablet Access Code Logon utility	
Physical dimensions	W x L x H: 295 x 249 x 33.2/36.9 mm, weight: 2.1 kg	
Warranty	3-year international warranty	

Options

	Part No.	List-Price incl. VAT
--	----------	-------------------------

Memory

256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895

Adapter & Batteries

Battery Pack	PA3191U-3BRS	295
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car/Truck/Airplane Charger	PX1116E-1NPO	190

External devices and miscellaneous

Advanced Port Replicator III	PA3314E-1PRP	295
Tablet Multi Dock	PA3315E-1PRP	795
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Super Multi Drive via USB	PA3402E-1DV2	495

SelectServ® WarrantyPacks

3 Yr. Local PickUp & Return	OPT5253CH	190
3 Yr. Local On-Site / NBD	SE5453CH-P/OPT5453CH	325
3 Yr. EMEA On-Site / NBD	SE5453E	400

Carry case

Nylon Case	HS9730CH	45
Leather Case	HS9730CHL	159
Tablet PC Leather Portfolio Case II	PX1168E-1NCA	95
Toshiba Koskin case	PX1123E-1NCA	159

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459




Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Portégé M200/1.6

XP Tablet PC Edition German, French, Italian, English	PPM20E-081H3-S4 4026203323391	2695
--	----------------------------------	------

Portégé M200/1.7

XP Tablet PC Edition German, French, Italian, English	PPM21E-07KY7-S4 4026203339880	2995
--	----------------------------------	------



Model	Portégé M200/1.6	Portégé M200/1.7
Processor	Intel® Centrino™ mobile technology including Intel® Pentium® M processor (1.60 GHz, 400 MHz Front Side Bus, 1MB 2nd level cache) Intel® PRO/Wireless 2100 network connection and Intel® 855PM chipset	Intel® Centrino™ mobile technology including Intel® Pentium® M processor 735 (1.70 GHz, 400 MHz Front Side Bus, 2MB 2nd level cache) Intel® PRO/Wireless 2200BG network connection and Intel® 855PM chipset
Display	12.1" TFT polysilicon active matrix colour display	
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1400 x 1050 (SXGA+)	
Hard Disk	60 GB (5400 rpm), S.M.A.R.T.	
System Memory	1 x 256 MB, maximum expandability: 2048 MB, technology: DDR RAM	1 x 512 MB, maximum expandability: 2048 MB, technology: DDR RAM
Optical drive	Optional	
Graphics adapter	Nvidia® GeForce™ FX Go5200, 32 MB DDR Video RAM, 4 x AGP bus	
Max. external video modes	Max. colours: 16.7 million, max. refresh rate: 100 Hz, max. resolution: 2,048 x 1,536, non-interlaced resolution with max. refresh rate: 1,600 x 1,200	
Keyboard	85 keys, 13 function keys, 4 cursor keys, inlaid numeric keypad, 3 Hot Keys, EURO key, 2 Windows® keys, cross functional button, ESC/rotation button, Windows® security tablet button, 4 Tablet Pen buttons	
Pointing device	Tablet Pen, Touch Pad	
Wireless communication	Bluetooth™, Fast InfraRed, Wireless LAN (802.11g integrated, dual band-ready (802.11a/b) network support)	
Wired communication	10/100 Base-TX Ethernet Ethernet, 56 Kbps data (V.90); 14.4 Kbps fax (V.17) international V.90 modem	
Sound System	Analog Devices, 16-bit stereo, built-in speaker, built-in stereo microphone, volume dial	
Interfaces	DC-in, external microphone, external monitor, Fast InfraRed (FIR), headphone, RJ-11, RJ-45, 2 x USB 2.0, RGB	
Expansion	PC Card slot for 1 Type II card, 2 x memory slots (1 to configure), SD™ Card slot	
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage	
Battery	Technology: lithium-ion, maximum life: up to 4.5 hours (Mobile Mark™)	
Operating System	Windows® XP Tablet PC Edition	
Bundled Software	Bluetooth™ Service Center, ConfigFree™, online user manual, Symbol Commander, Toshiba Management Console, Toshiba utilities and drivers, Microsoft® Office OneNote™ 2003	
Bundled Hardware	AC adapter, AC power cable, Tablet Pen, user manual, quick start guide	
Security features	BIOS password, built-in modem/LAN (by screw), HDD password on request, keyboard lock, main hard disk (by screw), main memory (by screw), slot for Kensington Cable Lock, supervisor password, system password security, Tablet Access Code Logon utility	
Physical dimensions	W x L x H: 295 x 249 x 33.2/36.9 mm, weight: 2.1 kg	
Warranty	3-year international warranty	

Options

	Part No.	List-Price incl. VAT
--	----------	-------------------------

Memory

256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895

Adapter & Batteries

Battery Pack	PA3191U-3BRS	295
AC-Adapter	PA3283E-2ACA	160
Battery Charger	PA3091E-1CHG	495
Car/Truck/Airplane Charger	PX1116E-1NPO	190

External devices and miscellaneous

Advanced Port Replicator III	PA3314E-1PRP	295
Tablet Multi Dock	PA3315E-1PRP	795
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Super Multi Drive via USB	PA3402E-1DV2	495

SelectServ® WarrantyPacks

3 Yr. Local PickUp & Return	OPT5253CH	190
3 Yr. Local On-Site / NBD	SE5453CH-P/OPT5453CH	325
3 Yr. EMEA On-Site / NBD	SE5453E	400

Carry case

Nylon Case	HS9730CH	45
Leather Case	HS9730CHL	159
Tablet PC Leather Portfolio Case II	PX1168E-1NCA	95
Toshiba Koskin case	PX1123E-1NCA	159

Toshiba Computer Cover All-Risk-Insurance (3 Years)

Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Portégé M300		
Windows XP Pro German, French, Italian, English	PPM30E-00G01US4 4026203353848	2999



Model	Portégé M300
Processor	Intel® Centrino™ mobile technology including Ultra Low Voltage Intel® Pentium® M processor 753 (1.20 GHz, 400MHz Frot Side Bus, 2MB 2nd level cache), Intel® PRO/Wireless 2200BG network connection and Intel® 855GME chipset
Display	12.1" XGA TFT colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1024 x 768
Hard Disk	60 GB (5400 rpm)
System Memory	2 x 256 MB, maximum expandability: 1280 MB, technology: DDR RAM
Optical drive	Super-slim DVD Super Multi drive, maximum speed: Read: 24x CD-ROM, 8x DVD-ROM / Write: 24x CD-R, 4x CD-RW, 10x HS-CD-RW, 10x US CD-RW, 2x DVD-R, 2x DVD-RW, 2.4x DVD+R, 2.4x DVD+RW, 2x DVD-RAM
Diskette drive	optional external 3.5", Floppy disk drive via USB
Graphics adapter	Intel® 855GME, 16-64 MB DDR-RAM (shared), 3D graphics accelerator, 4 x AGP bus
Keyboard	85 keys, 14 function keys, 4 cursor keys, inlaid numeric keypad, 1 Hot Key, 2 Windows® keys
Pointing device	Touch Pad
Wireless communication	Fast InfraRed, Wireless LAN (802.11 b/g integrated), Bluetooth™
Wired communication	10/100 Base-TX Ethernet, international V.90 modem (V.92 ready)
Sound System	Toshiba Bass Enhanced Sound System, 16-bit stereo, built-in stereo speakers, volume dial
Interfaces	DC-in, headphone, external monitor, expansion bus connector, i.LINK® (IEEE 1394), RJ-11, RJ-45, SD™ Card slot, external microphone, 3 x USB 2.0, CompactFlash™ Card slot
Expansion	connection to Advanced Port Replicator III (optional), PC Card slot for 2x Type II card or 1x Type III card, 1 memory slot (0 to configure)
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life: up to 6.10 hours (Mobile Mark™)
Operating System	Windows® XP Professional pre-installed (Service Pack 2)
Bundled Software	Microsoft® Office OneNote™ 2003, online user and modem manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba utilities and drivers, SonicRecord Now!, WinDVD™, Connectivity Doctor, Bluetooth™ Service Center, Norton Internet Security™ 2004 (90-Day Free Trial Version), Service Pack 2
Bundled Hardware	AC adapter
Security features	ACPI support, SM BIOS compliant, common docking and options with other Toshiba notebooks, Toshiba Enhanced SpeedStep, Toshiba Power Saver utility, Toshiba Presentation button, Toshiba Assist button
Toshiba Easy Guard	Device Lock, Diversity Antenna, Toshiba ConfigFree™, Kensington Lock, Password Utility, Spill-resistant Keyboard, Easy Fix Components, Data Backup, Shock Protection Design, HDD Protection (3-axis), Magnesium Casework, Password Utility
Physical dimensions	W x L x H: 286 x 233 x 28.9 / 32.95 mm, weight: 1.65 kg
Warranty	3-year international warranty

Options

	Part No.	List-Price incl. VAT
Memory		
256 MB DDR RAM (333MHz)	PA3311U-1M25	125
512 MB DDR RAM (333MHz)	PA3312U-1M51	299
1024 MB DDR RAM (333MHz)	PA3313U-1M1G	895
Adapter & Batteries		
AC-Adapter	PA3241E-1ACA	160
Battery Pack	PA3356U-2BRS	195
High Capacity Battery	PA3357U-1BRL	295
Battery Charger	PA3091E-1CHG	495
External devices and miscellaneous		
Advanced Port Replicator III	PA3314E-1PRP	295
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69
Super Multi Drive via USB	PA3402E-1DV2	495
CD-ROM drive via PC-Card	PX1052E-1NMD	165
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Carry Case	PX1181E-1NCA	45
Backpack	PX1184E-1NCA	65
Compact Case	PX1185E-1NCA	85
SelectServ® WarrantyPacks		
3 Yr. Local PickUp & Return	OPT5253CH	190
3 Yr. Local On-Site / NBD	SE5453CH-P/OPT5453CH	325
3 Yr. EMEA On-Site / NBD	SE5453E	400
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

Optional Advanced Port Replicator III
Part.No.: PA3314E-1PRP

CHF 295.--



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
Portégé R100		
Windows XP Pro German, French, English	PPR10E-213M5-SB 4026203329348	2790



Model	Portégé R100
Processor	Intel® Centrino™ mobile technology including Ultra Low Voltage Intel® Pentium® M processor 738 (1.1GHz, 400MHz Front Side Bus, 2MB 2nd level cache), Intel® PRO/Wireless 2200BG network connection and Intel® 855GM chipset
Display	12.1" TFT poly-silicon active matrix colour display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,024 x 768
Hard Disk	40 GB, S.M.A.R.T.
System Memory	2 x 256 MB, maximum expandability: 1280 MB, technology: DDR RAM (0 slot free)
Optical drive	Optional mobile DVD drive
Diskette drive	optional external 3.5" Floppy disk drive (via USB)
Graphics adapter	Trident XP4m32, 32MB DDR Video RAM, 4 x AGP bus
Keyboard	85 keys, 10 function keys, 8 cursor keys, inlaid numeric keypad, 3 Hot Keys, EURO key, Toshiba Console button, Presentation button, Internet launch button
Wired communication	10/100 Base-TX Ethernet LAN, 56 Kbps data (V.90 modem); 14.4Kbps fax (V.17) international V.90 modem
Wireless communication	Wireless LAN (802.11b/g network support, Wi-Fi™ compliant)
Sound System	Analogue device, 16-bit stereo, built-in speaker, built-in microphone
Interfaces	expansion bus connector, external microphone, external monitor, headphone, RJ-11, RJ-45, SD card slot, 2 x USB 2.0
Expansion	Connects to Slim Port Replicator (optional), memory slot (0 to configure), PC Card slot for 1 x Type II card
AC adaptor	Autosensing AC adapter (100/240 V) for worldwide usage
Battery	Technology: Li-Ion Polymer, maximum life: 2.0 hours, battery life with bundled high-capacity 2nd battery pack: 6.4 hours
Operating System	Windows® XP Pro
Bundled Software	On-line user and modem manual, Toshiba Management Console, Toshiba utilities and drivers, ConfigFree™, Connectivity Doctor
Bundled Hardware	AC adapter, AC power cable, High Capacity 2nd Battery Pack, user manual, quick start guide,
Physical dimensions	W x L x H: 286 x 229 x 14.9/19.8 mm, weight: 1.09 kg
Special features	SM BIOS update, BIOS password, system password security, HDD password on request, keyboard lock, main memory (by screw), shock-absorbing hard disk drive bump, slot for Kensington Cable Lock, Wireless LAN switch, Toshiba Enhanced SpeedStep
Warranty	3-year international warranty

Options

	Part No.	List-Price incl. VAT
Memory		
128 MB DDR RAM	PA3126U-1M12	85
256 MB DDR RAM	PA3127U-1M25	125
512 MB DDR RAM	PA3164U-1M51	299
1024 MB DDR RAM	PA3278U-1M1G	895
Adapter & Batteries		
2nd Battery Pack (High Cap.)	PA3155U-1BRL	425
AC-Adapter	PA3241E-1ACA	160
Battery Charger	PA3091E-1CHG	495
Car/Truck/Airplane Charger	PX1116E-1NPO	190
Miscellaneous		
Bluetooth PC-Card ver. 1.1	PX1086E-1PCC	195
Bluetooth SD Card ver. 1.1	PA3271U-1BTM	195
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Port Replicator / External drives		
Slim Port Replicator	PA3156E-1PRP	295
Mobile CD drive	PX1052E-1NMD	165
Carry case		
Nylon Case	HS9730CH	45
Leather Case	HS9730CHL	159
Toshiba Koskin case	PX1123E-1NCA	159
SelectServ® WarrantyPacks		
3 Yr. Local Pickup & Return	OPT5253CH	190
3 Yr. Local On-Site / NBD	SE5453CH-P/OPT5453CH	325
3 Yr. EMEA On-Site / NBD	SE5453E	400
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459



Model / OS / Language	Part No. EAN code	List-Price incl. VAT
-----------------------	----------------------	-------------------------

Portégé R200

Windows XP Pro German, French, Italian, English	PPR20E-01S02VS4 4026203365551	2990
--	----------------------------------	------



Model	Portégé R200
Processor	Intel® Pentium® M processor Ultra Low Voltage 753 (1.2GHz, 400MHz Front Side Bus, 2MB 2nd level cache)
Display	12.1" XGA TFT poly-silicon display
Internal Video Mode	Maximum number of colours: 16.7 million, resolution: 1,024 x 768
Hard Disk	60 GB, Enhanced IDE (ATA-6)
System Memory	512 (256 + 256) MB, maximum expandability: 1280 MB, technology: DDR2 RAM
Optical drive	Optional mobile DVD drive
Diskette drive	optional external 3.5" Floppy disk drive (via USB)
Graphics adapter	Mobile Intel® 915 GMS Express chipset, up to 128 MB DDR2 RAM (UMA), 4x AGP
Keyboard	85 keys, 13 function keys, inlaid numeric keypad, 2 Hot Keys, EURO key, Assist button, Presentation button
Wired communication	Gigabit Ethernet LAN, international V.90 modem (V.92 ready)
Wireless communication	Wireless LAN (802.11b/g), Fast InfraRed, Bluetooth™
Sound System	Toshiba Bass Enhanced Sound System, built-in speaker, built-in microphone
Interfaces	DC-in, external monitor, expansion bus connector, RJ-11, RJ-45, SD™ Card slot, integrated microphone, 2 x USB 2.0
Expansion	Connection to Slim Port Replicator III (optional), PC Card slot for 1x Type II card, 1 memory slot (0 to configure)
AC adaptor	Autosensing AC adaptor (100/240 V) for worldwide usage
Battery	Technology: lithium-ion, maximum life up to 4:40 hours (Mobile Mark™)
Operating System	Microsoft® Windows® XP Professional
Bundled Software	Microsoft® Office OneNote™ 2003, online user and modem manual, Management Console, Bluetooth™ Service Center, Toshiba ConfigFree™, Connectivity Doctor, Sonic™ Record Now!, WinDVD, Norton Internet Security™ (90-day free trial version), Toshiba utilities and drivers
Bundled Hardware	AC adaptor
Physical dimensions	W x L x H: 286 x 229 x 9.9 (front) / 19.8 (back) mm, weight: 1.29 kg
Special features	ACPI support, SM BIOS compliant, common docking and options with other Toshiba notebooks, Toshiba Enhanced SpeedStep, Toshiba presentation button, Toshiba Power Saver utility, Toshiba Assist button
Toshiba EasyGuard	Execute Disable Bit Protection (XD-Bit), Trusted Platform Module (TPM), Device Lock, Fingerprint Reader, PC Diagnostics, Toshiba Summit, Diversity Antenna, Toshiba ConfigFree™, Kensington Lock, Password Utility, Easy Fix Components, Data Backup, Shock Protection Design, HDD Protection (3-axis), Magnesium Casework
Warranty	3-year international warranty

Options

	Part No.	List-Price incl. VAT
Memory		
256MB Memory DDR2 (533MHz)	PA3389U-1M25	125
512MB Memory DDR2 (533MHz)	PA3412U-1M51	299
1024MB (1GB) DDR2 (533MHz)	PA3411U-1M1G	895
Adapter & Batteries		
2nd Battery Pack (High Cap.)	PA3155U-1BRL	425
AC-Adapter	PA3241E-1ACA	160
Battery Charger	PA3091E-1CHG	495
Car/Truck/Airplane Charger	PX1116E-1NPO	190
Miscellaneous		
Bluetooth PC-Card ver. 1.1	PX1086E-1PCC	195
Bluetooth SD Card ver. 1.1	PA3271U-1BTM	195
USB Floppy Disk Drive	PA3109U-1FDD	59
USB Travel Mouse	PX1096E-1NAC	69
Port Replicator / External drives		
Slim Port Replicator	PA3156E-1PRP	295
Mobile DVD/CD-RW drive	PX1055E-1NST	375
Super Slim Ext.CD-RW/DVD	PA3438U-1CD2	345
Carry case		
Nylon Case	HS9730CH	45
Leather Case	HS9730CHL	159
Toshiba Koskin case	PX1123E-1NCA	159
SelectServ® WarrantyPacks		
3 Yr. Local Pickup & Return	OPT5253CH	190
3 Yr. Local On-Site / NBD	SE5453CH-P/OPT5453CH	325
3 Yr. EMEA On-Site / NBD	SE5453E	400
Toshiba Computer Cover All-Risk-Insurance (3 Years)		
Band A (Value CHF 0 - 2400.-)	INSURA3CH-P	319
Band B (Value CHF 2401 - 3600.-)	INSURB3CH-P	359
Band C (Value CHF 3601 - 4800.-)	INSURC3CH-P	459

